

Una

Wall Mounted



DESCRIPTION

Una is a wall mounted fixture with rotationally several symmetrical beam angles optionally with light emission on one or two sides. These luminaires are also ideal for installation on narrow structural elements thanks to their compact size.

TRIDONIC PHILIPS

Driver

CREE ⇄

LED Chip



Illumination Data

Color temperature:	3000K 4000K
Lumen output:	600 LM 1320LM 2200LM 2640LM 4400 LM
CRI	80
Beam angle	24° Narrow 2x24° Narrow

Physical Specification

Material Finish	Die cast aluminium
Diffuser	Polycarbonate
Optics	Lens
Ingress protection (IP)	65
Impact Protection (IK)	08

Electric Characteristics

Light source	LED Built in
LED type	SMD
Power	6 Watt 2x6 Watt 12 Watt 2x12 Watt 20 Watt 2x20 Watt
P.F	>0.9
LED chip	Cree
Driver	Tridonic Philips

Installation


Installation	Surface Wall Mounted
Wiring	Product complete with electronic components

Luminaire Body Finish Color

White Ral 9003	
Grey Ral 9006	
Black Ral 9005	

Certificate & Warranty


Certification	CB CE LM79 LM80 TM21 Photo biological
Lifetime expectancy	50.000 hrs
Warranty duration	Up to 5 years



Una

Wall Mounted

Dimensions & Specs



Dimensions & specs of luminaires

Downlight				
Dim	Ø	Height	Watt	Lumen
1	60mm	200mm	6	600
2	90mm	200mm	12	1320
3	125mm	240mm	20	2200


Up & Down				
Dim	Ø	Height	Watt	Lumen
4	60mm	200mm	6x2	1200
5	90mm	260mm	12x2	2640
6	125mm	300mm	20x2	4400

RB Round base SB Square base

All dimensions in this schedule table are in millimeters


Product coding system

BR - UN X X C XX.8 XX N 65 X - X



BR - UN X X C XX.8 XX N 65 X - X

Configure luminaire specs & send us the code for order confirmation



Una

Wall Mounted

Optional Application




Dimmable

Brighton luminaires Map


- Brighton Luminaires Range
- Selected Luminaire Default placement

Indoor

Outdoor




Accessories




Una

Wall Mounted

2 x 6 Watt 24° Narrow Polar Curve



2 x 6 Watt 24° Narrow Cone Diagram



Una UN

BRIGHTON