

# Vora

Walk / Drive-over

## DESCRIPTION



The construction principle of Vora provides a solution for numerous lighting applications involving extensive ground illumination. Suitable for ground and wall installation and for outdoor use. Installation directly to the ground or by means of recess box supplied separately. Product designed for LED light sources for accent lighting, driveways and pathways.



Driver

LED Chip



### Illumination Data

<b>Color temperature:</b>	3000K   4000K
<b>Lumen output:</b>	600 LM   1200 LM
<b>CRI</b>	80
<b>Beam angle</b>	90° Radial

### Physical Specification

<b>Material Finish</b>	Die cast aluminium
<b>Diffuser</b>	Glass
<b>Optics</b>	LENS
<b>Ingress protection (IP)</b>	67
<b>Impact Protection (IK)</b>	10

### Electric Characteristics

<b>Light source</b>	LED Built in
<b>LED type</b>	COB
<b>Power</b>	6 Watt   12 Watt
<b>P.F</b>	>0.9
<b>LED chip</b>	Lumileds
<b>Driver</b>	Meanwell   Philips

### Installation

<b>Installment</b>	Inground recessed
<b>Wiring</b>	Product complete with electronic components


### Luminaire Body Finish Color

Black Ral 9005



### Certificate & Warranty


<b>Certification</b>	CB   CE   LM79   LM80 TM21   Photo biological
<b>Lifetime expectancy</b>	50.000 hrs
<b>Warranty duration</b>	Up to 5 years



# Vora

Walk / Drive-over

## Dimensions & Specs



DIM1

DIM2

\*All dimensions in these sketches are in millimeters\*

## Dimensions of luminaires

Dim	Ø	H	Cutout
1	116mm	150mm	102mm
2	173mm	149mm	156mm


## Specs

Wattage (W)	lumen (lm)
6 watt	600lm
12 watt	1200lm

\*All dimensions in this schedule table are in millimeters\*


## Product coding system

BR - VO X X R XX.8 XX R 67 B - X



BR - VO X X R XX.8 XX R 67 B - X

Configure luminaire specs & send us the code for order confirmation



# Vora

Walk / Drive-over

## Optional Application



RGB




Dimmable

## Brighton luminaires Map


- Brighton Luminaires Range
- Selected Luminaire Default placement

Indoor


Outdoor




Accessories




12 Watt Single Sector  
Polar Curve




12 Watt Single Sector  
Cartesian Diagram







12 Watt Double Sector  
Polar Curve




12 Watt Double Sector  
Cartesian Diagram






12 Watt Quad Sector  
Polar Curve



12 Watt Quad Sector  
Cartesian Diagram





Vora VO

BRIGHTON  N

