



Loro X

Downlight



DESCRIPTION

Loro X is a product that is suitable to illuminate large spaces with different dimensions and wattages



Illumination Data

Color temperature:	3000K 4000K 5000K 6500K
Lumen output:	635LM
CRI	90
Beam angle	10° 15° 24° 36° 50°
UGR	<19

Physical Specification

Material Finish	Die cast aluminium
Diffuser	Polycarbonate
Optics	Clear
Ingress protection (IP)	20 44

Electric Characteristics

Light	LED Built in
Source LED	COB
Type Power	8 Watt
P.F	>0.9

Installation

Installation	Ceiling Recessed
Wiring	Product complete with electronic components

Luminaire Body Finish Color

White Ral 9003	
Black Ral 9005	

Certificate & Warranty


Certification	CB CE LM79 LM80 TM21 Photo biological
Lifetime expectancy	50.000 hrs
Warranty duration	Up to 5 years



Loro X

Downlight

Dimensions & Specs



All dimensions in these sketches are in millimeters*

Dimensions of luminaires

Dim	Ø Diameter	Height	Cutout
1	Ø64mm	84mm	Ø75mm


All dimensions in this schedule table are in millimeters

Specs

Dimension (mm)	Wattage (W)	lumen (lm)
Dim1	8 watt	635lm

BR-LOX 1 T R 8 .9 XX X XX X - X

Product coding system



BR - LOX 1 T R 8 .9 XX X XX X - X

Configure luminaire specs & send us the code for order confirmation



Loro X

Downlight

Optional Application




Dimmable

Brighton Luminaires Map

- Brighton Luminaires Range
- Selected Luminaire Default placement





Indoor

Outdoor



Accessories

Beam Angle





Loro X

BRIGHTON

