



# Nerot

Downlight



## DESCRIPTION

LED recessed adjustable down light featuring high light power and efficacy. Nerot is a product that is suitable to illuminate large spaces with different dimensions and wattage.



### Illumination Data

Color temperature:	2700K   3000K   4000K   6500K
Lumen output:	1350LM
CRI	80
Beam angle	100°
UGR	<19

### Physical Specification

Material Finish	Die cast aluminium
Diffuser	Polycarbonate
Optics	Clear
Ingress protection (IP)	20   54   65

### Electric Characteristics

Light	LED Built in
Source LED	SMD
Type Power	13 Watt
P.F	>0.9

### Installation

Installation	Ceiling Recessed
Wiring	Product complete with electronic components

### Luminaire Body Finish Color

White Ral 9003	
Black Ral 9005	

### Certificate & Warranty


Certification	CB   CE   LM79   LM80 TM21   Photo biological
Lifetime expectancy	50.000 hrs
Warranty duration	Up to 5 years



# Nerot

Downlight

## Dimensions & Specs



All dimensions in these sketches are in millimeters\*

## Dimnesions of luminaires

Dim	Ø Diameter	Height	Cutout
1	Ø180mm	76.5mm	Ø170mm


\*All dimensions in this schedule table are in millimeters\*

## Specs

Dimensnion (mm)	Wattage (W)	lumen (lm)
Dim1	13 watt	1350lm

### BR-NE 1 T R 13 .8 XX X XX X - X

## Product coding system



### BR - NE 1 T R 13 .8 XX X XX X - X

Configure luminaire specs & send us the code for order confirmation



# Nerot

Downlight

## Optional Application




Dimmable

## Brighton Luminaires Map

- Brighton Luminaires Range
- Selected Luminaire Default placement


Indoor

Outdoor



## Accessories

## Beam Angle





Nerot

BRIGHTON

